Nicole Thomas
IDSN 3600
Office Space

Concept Statement

- -Open Floor plan
- -Outdoors/ Nature brought inside
- -Barn features
- -Ceiling is main focal point
- -Rustic/ Natural
- -Warm elements/ colors
- -Café incorporated
- -Only glass between private rooms
- -No full enclosures
- -Pop of color in the space

Nicole Thomas
IDSN 3600

Office Space

Concept Statement











Nicole Thomas
IDSN 3600
Office Space
Inspiration














Nicole Thomas

IDSN 3600

Office Space

Inspiration







IDSN 3600

Office Space

Inspiration

Summary										
Personnel Totals Per Department	Personne	والمناب المناب	Personnel				Support	Total	Circulation	Carpetable
	Current	Future	Sq. Feet	Computer	Printer	Fax	Sq. Feet	Sq. Feet		Sq. Feet
Executive	2	14	672	14	1	-	424	1,096	1.54	1,688
Administration	2	14	504	4	1	-	118	622	1.54	957
Account Admin	12	28	1,008	35	6	6	228	1,236	1.54	1,903
Creative Services	4	46	1,656	7	1	-	748	2,404	1.54	3,702
Support	-	-	-	-	-	-	1,213	1,213	1.54	1,868
Totals:	20	102	3,840	60	9	6	2,731			10,119

IDSN 3600

Office Space

Program: Summary

<u>Position</u>	Personnel			uare Ft.	Extended		Equipment		Notes		ment Summa	ry	
	Current	Future	Office	Workstation	Sq. Feet	PC	Printer	Fax		Informa			
					0						onnel	672	
					0						pment	424	Squ
					0					Sub Tot	tal:	1096	
					0						ılation	1.54	
					0					Total Ca	arpetable:	1687.8	Squ
Director	1	8	48		384	8			Locate near Reception				
					0								
					0								
					0								
Administrative Assistant	1	6		48	288	6	1		Locate directly outside Mgr office				
					0								
					0								
					0					Intervie	ewee:		
					0					Interview	w Date:		
					0						Submitted:		
Personnel Totals: SUPPORT/EQUIPMENT SPACES	3	14			672	14	1		0	Sign Off	ī.		
	3	uipment		nit	Extended	14	Location		Notes	Departr	ment Notes:		
SUPPORT/EQUIPMENT SPACES				nit re Feet	Extended	14				Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES	Support/Equ	uipment								Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES	Support/Equ	uipment			Extended Sq. Feet	14	Location			Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space	Support/Equ	uipment Future		re Feet 100	Extended Sq. Feet 0 0 V	isible from Adr	Location nin Asst		Notes	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space	Support/Equ	uipment Future		re Feet	Extended Sq. Feet 0 0 V		Location nin Asst		Notes	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry	Support/Equ Current	uipment Future		100 36	Extended Sq. Feet 0 0 V 0 36 N	isible from Adr	Location nin Asst		Notes	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area	Support/Equ Current	uipment Future		re Feet 100	Extended Sq. Feet 0 0 V 0 36 N 0	isible from Adr	Location nin Asst		Notes	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry	Support/Equ Current 1	Future 0 1		100 36 80	Extended Sq. Feet 0 0 V 0 36 N 0 80 N	isible from Adr	Location nin Asst		Notes Seating for 4 guests	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry	Support/Equ Current 1	uipment Future		100 36	Extended Sq. Feet 0 0 V 0 36 N 0	isible from Adr	Location nin Asst		Notes	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry Fax/Copy	Support/Equ Current 1 0 1	Future 0 1		100 36 80	Extended Sq. Feet 0 0 0 0 0 80 80 80 128	isible from Adr	Location nin Asst		Notes Seating for 4 guests Shelving	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry Fax/Copy	Support/Equ Current 1	Future 0 1		100 36 80	Extended Sq. Feet 0 0 V 0 36 N 0 80 N 0	isible from Adr	Location nin Asst		Notes Seating for 4 guests	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry Fax/Copy Storage File Drawers	Support/Equ Current 1 0 1	Future 0 1 1 2		100 36 80 64	Extended Sq. Feet 0 0 0 0 0 36 0 80 0 128 0 180 0	isible from Adr ear Admin Ass ear Admin Ass	Location nin Asst tts		Seating for 4 guests Shelving 3-Hi cabinets	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry Fax/Copy Storage	Support/Equ Current 1 0 1	Future 0 1 1 2		100 36 80 64	Extended Sq. Feet 0 0 0 0 0 36 0 80 0 128 0 180 0	isible from Adr	Location nin Asst tts		Notes Seating for 4 guests Shelving	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry Fax/Copy Storage File Drawers	Support/Equ Current 1 0 1	Future 0 1 1 2 60		100 36 80 64	Extended Sq. Feet 0 0 0 0 0 36 0 80 0 128 0 180 0	isible from Adr ear Admin Ass ear Admin Ass	Location nin Asst tts		Seating for 4 guests Shelving 3-Hi cabinets	Departr Entire co	ment Notes:		
SUPPORT/EQUIPMENT SPACES Space Waiting Area Pantry Fax/Copy Storage File Drawers	Support/Equ Current 1 0 1	Future 0 1 1 2 60		100 36 80 64	Extended Sq. Feet 0 0 0 0 36 0 80 80 128 0 180 0 0 0 A	isible from Adr ear Admin Ass ear Admin Ass	Location nin Asst tts		Seating for 4 guests Shelving 3-Hi cabinets	Departr Entire co	ment Notes:		

IDSN 3600

Office Space

Program: Executive

	В	С	D	E	Г	G H	ı	J	K L M	1
PERSONNEL										
		(<u> </u>						5		
<u>Position</u>	Personne			quare Ft.	Extended	Equipment PC Printer	<u>-</u>	Notes	Department Summar	ry
	Current	Future	Office	Workstation	Sq. Feet	PC Printer	Fax	4	Information:	-
					0				Personnel	
Finance					0				Equipment	11
					0				Sub Total:	62
Manager	0	8		36	288	1			Circulation	
Clerical	2	6		36		3 1			Total Carpetable:	957
					0					-
					0					
					0					
					0					
					0					-
					0					
					0				40200000	
					0				Interviewee:	
					0				Interview Date:	
	0000									
Personnel Totals:	2	14			0 504	4 1			Revision Submitted: Sign Off:	
SUPPORT/EQUIPMENT SPACES	3				504				Sign Off:	
	Support/Eq	uipment		Jnit	504 Extended	Location		Notes		
SUPPORT/EQUIPMENT SPACES	3			Jnit re Feet	504				Sign Off:	
SUPPORT/EQUIPMENT SPACES	Support/Eq	uipment			Extended Sq. Feet	Location			Sign Off:	
SUPPORT/EQUIPMENT SPACES Space	Support/Eq	uipment			Extended Sg. Feet 0 0 75.6	Location .ockable room			Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance	Support/Eq Current	uipment Future		re Feet	Extended Sg. Feet 0 0 75.6			Notes	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sg. Feet 0 0 75.6	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sg. Feet 0 0 75.6	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sg. Feet 0 0 75.6	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sg. Feet 0 0 75.6 42 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sg. Feet 0 0 0 75.6 42 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sq. Feet 0 0 0 75.6 42 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sq. Feet 0 0 0 75.6 42 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sq. Feet 0 0 0 75.6 42 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sq. Feet 0 0 0 75.6 42 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Finance File Drawers	Support/Eq Current	uipment Future		re Feet	Extended Sq. Feet 0 0 0 75.6 42 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Location .ockable room		Notes 5-Hi cabinets	Sign Off:	

IDSN 3600

Office Space

Program: Administration

<u>Position</u>	Personnel	Totals	Unit Squa	are Ft.	Extended		Equipment		Notes	Department Sur	mmarv
	Current	Future		Workstation	Sq. Feet	PC	Printer	Fax		Information:	
					0					Personnel	1008 Square F
Account Executive	4	6	36		216	9				Equipment	228 Square I
					0					Sub Total:	1236 Square F
Account Manager	4	8	36		288					Circulation	1.54
					0					Total Carpetabl	e: 1903.4 Square F
Administrative Assistant	1	6		36	216		6	6	Shared by entire Production staff		
A	0	8		36	0 288						
Account Assistant	3	8		36	288		+			_	
					0						
					0						
					0						
					0					Interviewee:	
					0					Interview Date:	
					0					Interview Date: Revision Submitte	ed:
Personnel Totals: SUPPORT/EQUIPMENT SPACES		28	Nest.		1008			(6		Revision Submitte	
			Unit Square		0 1008		6 Location		Notes	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space	Support/Eq	uipment Future			0 1008 Extended Sq. Feet	35	Location	• • • • • • • • • • • • • • • • • • •	Notes	Revision Submitte	
SUPPORT/EQUIPMENT SPACES	Support/Eq	uipment			0 1008 Extended Sq. Feet		Location	(Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers	Support/Eq	uipment Future		Feet 3	0 1008 1008 Extended Sq. Feet 0 90	Near Admin Ass	Location	E	Notes 3-Hi cabinets	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space	Support/Eq	uipment Future		Feet	Extended Sq. Feet 0 90 0 48	Near Admin Assi	Location	E	Notes	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment	Support/Eq Current 10	uipment Future		3 48	Extended Sg. Feet 0 90 0 48	Near Admin Assi	Location	E	Notes 3-Hi cabinets Copier, work counter	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers	Support/Eq	uipment Future		Feet 3	Extended Sq. Feet 0 90 0 48 0 48	Near Admin Assi	Location	E	Notes 3-Hi cabinets	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment Digital Storage	Support/Eq Current 10	uipment Future		3 48 48	Extended Sg. Feet 0 90 0 48 0 48	Near Admin Assi	Location	E	Notes 3-Hi cabinets Copier, work counter Shelving; can be spread throughout	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment	Support/Eq Current 10	uipment Future 30 1		3 48	Extended Sg. Feet 0 90 0 48 0 48 0 42	Near Admin Assi	Location	E	Notes 3-Hi cabinets Copier, work counter	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment Digital Storage	Support/Eq Current 10	uipment Future 30 1		3 48 48	Extended Sg. Feet 0 90 0 48 0 48	Near Admin Assi	Location	E	Notes 3-Hi cabinets Copier, work counter Shelving; can be spread throughout	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment Digital Storage	Support/Eq Current 10	uipment Future 30 1		3 48 48	Extended Sq. Feet 0 90 0 48 0 48 0 42	Near Admin Assi	Location	E	Notes 3-Hi cabinets Copier, work counter Shelving; can be spread throughout	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment Digital Storage	Support/Eq Current 10	uipment Future 30 1		3 48 48	0 1008 1008 1008 Extended Sg. Feet 0 90 0 48 0 48 0 48 0 42 0	Near Admin Assi	Location	E	Notes 3-Hi cabinets Copier, work counter Shelving; can be spread throughout	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment Digital Storage	Support/Eq Current 10	uipment Future 30 1		3 48 48	0 1008 1008 1008 Extended Sg. Feet 0 90 0 48 0 48 48 0 0 48 0 0	Near Admin Assi	Location	(Notes 3-Hi cabinets Copier, work counter Shelving; can be spread throughout	Revision Submitte	
SUPPORT/EQUIPMENT SPACES Space File Drawers Equipment Digital Storage	Support/Eq Current 10	uipment Future 30 1		3 48 48	0 1008 1008 1008 Sg. Feet 0 90 0 48 0 48 0 42 0 0 0	Near Admin Assi	Location		Notes 3-Hi cabinets Copier, work counter Shelving; can be spread throughout	Revision Submitte	

IDSN 3600

Office Space

Program: Account Admin

<u>Position</u>	Personn			uare Ft.	Extended		Equipment		Notes	Department Sur	nmary	
	Current	Future	Office	Workstation	Sg. Feet	PC	Printer	Fax		Information:		
					0					Personnel		6 Squa
Team Manager	1	8	36		288		1			Equipment	748	8 Squa
					0	1				Sub Total:	2404	4 Squa
Team Assistant	3	38		36	1368					Circulation	1.54	4
					0	2				Total Carpetable	3702.2	2 Squ
					0							
					0	2						
					0	_						
					0							
					0							
					0							
					0					Interviewee:		
					0					Interview Date:		
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0					Revision Submitte	ed:	
Personnel Totals:	4	46			1656	7	1	0		Sign Off:		
SUPPORT/EQUIPMENT SPACES Space		quipment		nit	Extended		Location		Notes		es:	
							Location		Notes	Department Not		
<u></u>	Current	Future	Sguar	e Feet	Sg. Feet		Location		Notes	Department Not	22.2	
	Current	Future	Squar	e Feet			Location		Nutes	Department Not		
	Current	Future	Sguar		Sg. Feet 0 0 0		Location		Nutes	Department Not		
Concept Lounge	Current 0	Future 1	Squar	e Feet			Location		Nutes	Department Not		
Concept Lounge	<u>Current</u>	Future 1	Squar	200	\$g. Feet 0 0 0 0 0 200 0 0					Department Not		
	0 0	Future 1	Squar		\$g. Feet 0 0 0 0 0 200 0 0	Adjacent to Teal			Work counters	Department Not		
Concept Lounge Work Area	<u>Current</u>	Future 1	Squar	200	\$q. Feet 0 0 0 200 500 0	Adjacent to Tea	ms		Work counters	Department Not		
Concept Lounge	0 0	Future 1 1 1	Squar	200	\$q. Feet 0 0 0 200 500 0		ms			Department Not		
Concept Lounge Work Area	0 0	Future 1 1 1	Squar	200	\$q. Feet 0 0 0 200 500 0	Adjacent to Teal	ms		Work counters	Department Not		
Concept Lounge Work Area	0 0	Future 1 1 1	Squar	200	\$q. Feet 0 0 0 200 500 48	Adjacent to Teal	ms		Work counters	Department Not		
Concept Lounge Work Area	0 0	Future 1 1 1	Squar	200	\$q. Feet 0 0 0 200 500 48 0 0	Adjacent to Teal	ms		Work counters	Department Not		
Concept Lounge Work Area	0 0	Future 1 1 1	Squar	200	\$q. Feet 0 0 0 200 500 48 0 0 0 0 0 0	Adjacent to Teal	ms		Work counters	Department Not		
Concept Lounge Work Area	0 0	Future 1 1 1	Squar	200	\$q. Feet0	Adjacent to Teal	ms		Work counters	Department Not		
Concept Lounge Work Area	0 0	Future 1 1 1	Squar	200	\$q. Feet 0 0 0 200 500 0 48 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Adjacent to Teal	ms		Work counters	Department Not		
Concept Lounge Work Area Storage	0 0	Future 1 1 1	Squar	200	\$q. Feet0	Adjacent to Teal	ms		Work counters	Department Not		

IDSN 3600

Office Space

Program: Creative Services


<u>Position</u>	Support/Ed	quipment	Unit	Extended	Location	Notes	Department Summary	y
	Current	Future	Square Ft.	Sq. Feet			Information:	
				0			Personnel	0 Squ
				0			Equipment	1213 Sq
				0			Sub Total:	1213 Sq
				0			Circulation	1.54
				0			Total Carpetable:	1868 Sc
				0				
				0				
				0				
				0				
				0				
				0				
				0				
				0			Interviewee:	
				0			Interview Date:	
	2000			0			Revision Submitted:	
	1000			U			Tto floron o donnitto d.	
Personnel Totals: SUPPORT/EQUIPMENT SPACES	0	0		0			Sign Off:	
SUPPORT/EQUIPMENT SPACES			Unit		Location	Notes	Sign Off:	
			Unit Square Feet	0	Location	Notes		
SUPPORT/EQUIPMENT SPACES Space	Support/Ec	quipment	Square Feet	Extended Sq. Feet 0			Sign Off:	
SUPPORT/EQUIPMENT SPACES	Support/Ec	quipment		Extended Sq. Feet 0	Location Direct access to Broadcast, Executive, Mktg	Notes Waiting for 6, TV's	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception	Support/Ec	quipment	Square Feet 120	Extended Sq. Feet 0 120 [0	Direct access to Broadcast, Executive, Mktg	Waiting for 6, TV's	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space	Support/Ec	quipment	Square Feet	Extended Sq. Feet 0 120 [0			Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception	Support/Ec	quipment	Square Feet 120	Extended Sq. Feet 0 120 [0	Direct access to Broadcast, Executive, Mktg	Waiting for 6, TV's	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room	Support/Ec	quipment	Square Feet 120 260	Extended Sq. Feet 0 120 [0 520 \$ 0]	Direct access to Broadcast, Executive, Mktg Shared by all areas	Waiting for 6, TV's Full AV	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room	Support/Ec	quipment	260 80	Extended Sq. Feet 0 120 [0 520 \$ 0 0]	Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room Copy/Fax Station	Support/Ec	quipment	260 80 36	Extended Sq. Feet 0 120 [0 520 \$ 0 72 \$ \$ 0 \$ 72 \$ \$ 0 \$ 72 \$ \$ 0 \$ 72 \$ \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0	Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin Spread throughout	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks Work counter	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room Copy/Fax Station Pantry	Support/Ec	quipment	260 260 80 36 36	Extended Sq. Feet 0 120 [0 520 \$ 0 72 \$ 36 \$ \$	Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks Work counter Coffee, sink, refrigerator, cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room Copy/Fax Station	Support/Ec	quipment	260 80 36	Extended Sq. Feet 0 120 [0 520 \$ 0 72 \$ \$ 0 \$ 72 \$ \$ 0 \$ 72 \$ \$ 0 \$ 72 \$ \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0	Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin Spread throughout	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks Work counter	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room Copy/Fax Station Pantry Lunch Room	Support/Ecc Current 1 1 1 1 1 1 0	1 2 1 2 1 1 1	260 260 80 36 36	Extended Sq. Feet 0 120 [0 520 \$ 0 72 \$ 36 \$ 200 0	Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin Spread throughout Spread throughout	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks Work counter Coffee, sink, refrigerator, cabinets	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room Copy/Fax Station Pantry Lunch Room Coats	Support/Ec	quipment	80 36 200 11 120	Extended Sq. Feet 0 120 [0 520 [0 80 N 72 [36 [200] 0 85 [85 [85 [85 [85 [85 [85 [85 [Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin Spread throughout Spread throughout	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks Work counter Coffee, sink, refrigerator, cabinets Full kitchen, seating	Sign Off:	
SUPPORT/EQUIPMENT SPACES Space Reception Conference Room Computer Server Room Copy/Fax Station Pantry Lunch Room	Support/Ecc Current 1 1 1 1 1 1 0	1 2 1 2 1 1 1	260 260 80 36 36	Extended Sq. Feet 0 120 [0 520 [0 80 N 72 [36 [200] 0 85 [85 [85 [85 [85 [85 [85 [85 [Direct access to Broadcast, Executive, Mktg Shared by all areas Near Acount Admin Spread throughout Spread throughout	Waiting for 6, TV's Full AV Raised floor, secure, 3 racks Work counter Coffee, sink, refrigerator, cabinets	Sign Off:	


IDSN 3600

Office Space


Program: Support


Nicole Thomas
IDSN 3600
Office Space







Assignment 4
Bubble Diagrams












Assignment 4
Work Stations/ Office Stations







Assignment 5
Spatial Concept Sketches




Assignment 6
Space Plan Sketches








Assignment 6
Space Plan Sketches



Assignment 6
Space Plan Sketches










Assignment 7
Entry Sketches











Assignment 7
Main Corridor Sketches



Assignment 7
Main Corridor Sketches







Assignment 8 Lounge Sketches





Assignment 8 Lounge Sketches







Assignment 8
Open Work Area Sketches










Assignment 8
Open Work Area Sketches







Assignment 9 Light Shadows










Assignment 9 Light Shadows








Assignment 9
Ducked Work






Assignment 9
Ducked Work





Assignment 10 Lighting Model



Bu												
Constructio	n Tvpe	Sprin	klers?	Occupar	ncy Type	I		I		Ì		I
Concrete/Ste			es		oe B							
Exit Requiren	nents: Nu	mber and	Arrangen	ent of Ex	its							
		# of	Exits			Travel D	istance		Arrar	ngement: N	Means of E	gress
Space	Requ	uired	Shown o	n Plans	Allowable	e Distance	Actual [Distance	Req'd D	istance	Actual (Distance
Designation							Shown	on Plans	Betwee	en Exits	Shown	on Plans
Suite 3100		2	3	}	30	00'	21	L4'	10	17'	122	!-7"
Notes:												
Use Group or	(/	۹)	(B	3)			(0		Exit Widt	h (Inches)	
Space	Area =	Sq. Ft.	Area per (Occupant	Calcu	ılated	Egres	ss per	Required	Width =	Actual	Width
Designation					Occupar	nt Load =	Occu	pant	(A/E	3)xC		
Designation					A	/B	Stair	Level	Stair	Level	Stair	Level
	102	200	10	0	10	02	.3"	.2"	30.6	20.4	5'-71/2"	5'
Notes:												

Assignment 11
AutoCAD Life Safety Plan

MAINTAINED FC= (NUMBER OF LAMPS) X (INITIAL LAMP LUMENS) X LLF X CU

AREA

(2)X(3500)X.93X.7

64

RCR (ROOM CAVITY RATIO)= 13.75

5(11) (8+8)

8X8

MAINTAINED FC= 71.2

LLF=.93



LINCOR

3000K, 3500K, 4000K

Indirect/Direct 2,5" x

Cable-Mounted 2.5" x 8


online Find it Fast 1078

Applications: Small profile direct/indirect highly efficient LED pendant. A technically precise miniature die-moulded minicell optic in matte or specular finish produces a batwing distribution. LINCOR is ideal for offices, lobbies, conference rooms, libraries, classrooms, and many other applications.

LED

1. Select Individual fixtures (see Page 2 for row fixtures).

LINCORILED	_			DI					
FIXTURE	LENGTH	WATTAGE	LED MODULE	DISTRIBUTION	OPTIC	HOUSING FINISH	DRIVER	MOUNTING	OPTIONS
LINCOR Individual	4 4 ft. 8 8 ft.	34W 34W 2500 lm 68W 68W 5000 lm CCT Multiplier for Lumen Output 3000K 1.00 3500K 1.025 4000K 1.06	830 3000K, 85 typical CRI 835 3500K, 85 typical CRI 840* 4000K, 85 typical CRI 3.5-step MacAdam, 4-72K/-170K © 3500K initial color binning * 4000K requires longer lead time	DI Direct/ Indirect	C Comfort (Matte) Minicell D Darklight (Specular) Minicell	SR Silver WH White C* Custom *For Custom Colors, please specify HAL #	DU Standard 0-10V DD_* DALI Dimming DH_* Lutron Hillume Dimming "Specify"1" for 120V or "2" for 277V.	W07 70" White Cord W14 157" White Cord	SS** Separate Switching EM_* Standby Battery Pack, TW, 500 Im nominal "Separate Switching only snatable with DU driver. EM not snatable with Lutron or Separate Switching. "Specity "1" for 120V or "2" for 277V.





IBEW Union Made

1. Housing - Aluminum extrusion in 4 or 8 foot lengths, painted in Zumtobel Silver or White. Custom colors also available. 2. Endcaps – Aluminum Endcaps and

Continuous Row Joiner made of aluminum, painted Zumtobel Silver, White, or custom color to match the

HILume is a registered trademark of Lutron Electronics Co

direct lens. Zumtobel Lighting Inc. ©2014 3300 Route 9W 845-691-6262 800-448-4131

3. Wattage and CCT - 34W with 2,500 lumens (4'), or 68W with 5,000 lumens (8'). Available in 3000K, 3500K, or 4000K color temperatures. White LEDs. Initial color hinning for LEDs is +72K / -170K @ 3500K and potential color shift over the life of the LEDs is +/-75K CCT.

Indirect co-extruded lens is made up of

pipe directing light uniformly upwards.

5. Reflector - McPet reflector surrounds

the LEDs and reflects light through the

4. Optics – Minicell Louver available in (C) Comfort Matte or (D) Darklight Specular. Lens behind the louver shields the eye from direct view of the LEDs.

a light pipe with diffusor at the top of the in White powder coated finish. Canopy covers for non-power feed suspensions are available in 2" or 5" square in White powder coated finish.

6. Driver - Universal voltage 120/277V 8. Standby Battery Pack - Remote driver with integral 0-10V dimming. For non-dimming requirements, order DU option (not available with Lutron driver). driver but do not connect to dimming control during installation. Driver integral in housing.

Also available with Lutron A-Series driver (remote mounted), or DALI dimming (integral).

7. Mounting - Aircraft cable is available for junction box mounting or T-bar mounting in standard lengths of 70" and 157". Feed point canopy covers are flat, 5" square

In a continuing effort to offer the best product possible we reserve the right to change, without notice,

and is remote mounted in a recessed box. One 2' section of luminaire (both direct and indirect) lit with 7W, delivering 500 lumens 9. Separate Switching - Direct and Indirect light can be switched and

0-10V non-EM only. Separate Switching

10. Life - L80 at 50,000 hours. 11. Weight - 7-1/2 lbs (4' fixture) 13-1/2 lbs (8' fixture)

ZUMTOBEL

or, 1. Select Continuous Run fixtures. Total lengths available in increments of 4ft nominal lengths (see Page 1 for individual fixtures).

				DI					
FIXTURE	LENGTH	WATTAGE	LED MODULE	DISTRIBUTION	ОРТІС	HOUSING FINISH	DRIVER	MOUNTING	OPTIONS
LINCORSLED LINCOR Starter LINCORMLED LINCOR Mid LINCOR ELD LINCOR ED LINCOR ED Typical (RI = 85 R9 = 20 Proceed to Select 2. Power Feed Susy 3. Non-Power Feed		34W 34W 2500 lm 68W 68W 5000 lm CCT Multiplier for Lumen Debput 3000K 1,00 3500K 1,005 4000K 1,06	830 3000K, 85 typical CRI 836 3500K, 85 typical CRI 840* 4000K, 85 typical CRI 3.5-step MscAdam, +72K/-170K @ 3500K initial color binning	DI Direct/ Indirect	C Comfort (Matte) Minicell D Darklight (Specular) Minicell	SR Silver WH White C* Custom *For Custom Colons, please specify RAL #	DU Standard 0-10V DD_* DALI Dirmming DH_* Lutron HiLume Dirmming " Specify *1" for 120V or *2" for 277V.	W07 70" White Cord W14 157" White Cord	SS** Separate Switching EM_* Standby Battery Pack, 7W, 500 Im nominal "Separate Switching only savilable with DU driver. EM not available with DU or 'Separate Switching. "Specify "1" for 120V or "2" for 277V.

2. Select Power Feed Suspensions

LINCOR		
FIXTURE	MOUNTING	CANOPY
LINCOR	CBL070 70" Cable, White Cord CBL157 157" Cable, White Cord	J5PW J-box mounting, 5" square, flat canopy, White T5FW T-bar mounting, 5" square, flat canopy, White

		Maxii	mum number of fi	xtures pe	r feed*:
		0-10V	Separate Switching	DALI	Lutron
120V	4 ft. fixtures	20	16	20	17
	8 ft. fixtures	10	16	10	8
277V	4 ft. fixtures	30	24	30	30
	8 ft. fixtures	15	16	15	15

*Based on drawing a maximum of 6 amps.

3. Select Non-Power Feed Suspensions

FIXTURE	MOUNTING		CANOPY
LINCOR	CBL070 70" Cable CBL157 157" Cable DCBL070 70" Double-Y Cable* DCBL157 157" Double-Y Cable* "Double Cable used at each joiner in continuous row luminaires	J5W S2W S5W	J-box mounting, 5" square, flat canopy, White 1/4-20, 2" square, flat canopy, White 1/4-20, 5" square, flat canopy, White

In a continuing effort to offer the best product possible we reserve the right to change, without notice, specifications or materials. Technical specification sheets that appear on www.numtobel.us are the most recent Zumtobel Lighting Inc. @2014 845-691-6262 3300 Route 9W Highland, NY 12528-2630 800-448-4131 zli.us@zumtobel.com

ZUMTOBEL


Photometric Data

LINCOR, 4ft, 34W, 3000K, Matte LINCORILED434W830DIC

Efficacy = 71 lm/W

	Angle In	Average	Average	Average
	Degrees	0-Deg	45-Deg	90-Deg
	45°	3729	5183	3668
	55°	2101	780	872
	65°	318	81	108
	75°	0	0	0
	85°	0	0	0

Candela Distribution



Coefficients Of Utilization - Zonal Cavity Method Effective Floor Cavity Reflectance 0.20


100		-								-			-			10		
BW	70	50	30	10	70	50	30	10	50	30	10	50	30	10	50	30	10	0
0	112	112	112	112	106	106	106	106	94	94	94	84	84	84	74	74	74	70
1	105	102	99	96	99	97	94	92	87	85	83	78	77	78	70	69	68	65
2	98	92	87	83	93	88	84	80	80	77	74	72	70	68	65	64	62	59)
3	92	84	78	73	87	80	75	71	73	69	66	67	64	61	61	59	57	54
4	85	77	70	65	81	73	68	63	67	63	50	62	58	55	57	54	52	49
5	80	70	63	58	76	67	61	57	82	57	53	57	53	50	53	50	47	45
6	75	64	57	52	71	62	56	51	57	52	48	53	49	46	49	46	43	41
7	70	59	52	47	67	57	51	46	53	48	44	49	45	42	46	42	40	37
8	66	55	48	43	63	53	46	42	49	44	40	46	41	38	43	39	36	34
9	62	51	44	39	59	49	43	39	48	41	37	43	38	35	40	36	34	32
10	58	47	41	36	55	48	40	35	43	38	34	40	36	33	37	34	31	29

LINCOR, 4ft, 34W, 3000K, Specular LINCORILED434W830DID

Efficacy = 73 lm/W

Luminance Data (cd/sq.m)											
Angle In	Average	Average	Averag								
Degrees	0-Deg	45-Deg	90-Deg								
45°	3158	5113	3408								
55°	3355	668	844								
65°	79	35	17								
75°	0	0	0								
85°	0	0	0								

Candela Distribution



Coefficients Of Utilization - Zonal Cavity Method

Effective Floor Cavity Reflectance 0.20

HW	70	50	3U	10	ro	50	30	10	50	30	10	50	30	10
0	112	112	112	112	106	106	106	106	95	95	95	85	85	85
1	105	102	99	96	100	97	94	92	87	86	84	79	78	76
2	98	93	88	84	93	88	84	81	80	77	75	73	71	60
3	92	84	79	74	87	81	76	71	74	70	67	68	64	62
4	86	77	71	66	82	74	68	64	68	63	60	62	59	56
5	80	71	64	50	76	68	62	57	63	58	54	58	54	51
6	75	65	58	53	72	62	56	52	58	53	49	54	50	46
7	70	60	53	48	67	58	51	47	54	48	45	50	46	42
8	66	55	48	44	63	53	47	43	50	45	41	46	42	39
9	62	51	44	40	59	49	43	39	46	41	37	43	39	36
10	58	47	41	37	56	46	40	36	43	38	34	40	36	33

Zumtobel Lighting Inc. ©2014 3300 Route 9W Highland, NY 12528-2630

845-691-6262 800-448-4131 zli.us@zumtobel.com

in a continuing effort to offer the best product possible

ZUMTOBEL