



PORTFOLIO 3

SAMANTHA HEUMAN


SPACE PLAN SKETCHES




OPTION 1




SPACE PLAN SKETCHES




OPTION 2






SPACE PLAN SKETCHES






OPTION 3






ENTRY SOLUTION 1






ENTRY SOLUTION 2






WAYFINDING SOLUTION 1






WAYFINDING SOLUTION 2





CEILING SOLUTION 1




CEILING SOLUTION 2






SUPPORT SPACES SOLUTION 1





bring out
the pantry
walls




SUPPORT SPACES SOLUTION 2



FLOOR PLAN







FURNITURE PLAN







LIVING ROOM ELEVATION




MASTER BATHROOM ELEVATION




MASTER BEDROOM ELEVATION





REFLECTED CEILING PLAN



DUCT WORK

LIVING ROOM



SECOND LIVING ROOM





KITCHEN






MASTER BED AND BATH






GUEST BED AND BATH



EXTERIOR VIEW



BIRDS EYE VIEW





OPTION 1



OPTION 2

KITCHEN FINISHES

LIVING ROOM FINISHES



OPTION 1



OPTION 2



OPTION 1



OPTION 2

BEDROOM FINISHES

LIVING ROOM ACCESSIBILITY

ONE LEVEL FLOORING
THROUGHOUT UNIT


5 FOOT WIDE HALLWAY
FOR WHEELCHAIR
ACCESSIBILITY




ADA COMPLIANT 5 FOOT
WHEELCHAIR ACCESSIBLE
TURN RADIUS

CUT OUT UNDER SINK AND
RANGE FOR WHEELCHAIR
ACCESSIBLE ACCESS

MASTER BEDROOM ACCESSIBILITY




MASTER BATHROOM ACCESSIBILITY



GUEST BED AND BATH ACCESSIBILITY


SMOOTH ENTRANCE FOR
WHEELCHAIR ACCESSIBILITY

5 FOOT DIAMETER
CIRCLE FOR ADA
WHEELCHAIR
COMPLIANCE




5 FOOT
DIAMETER
CIRCLE FOR ADA
WHEELCHAIR
COMPLIANCE

LIFE SAFETY PLAN



- SP: STAND PIPE
- FC: FIRE HOSE CABINET
- FE: FIRE EXTINGUISHER
- SMOKE DETECTOR
- FIRE SPRINKLERS
- OCCUPANCY LOAD: 10
- DISTANCE BETWEEN EXIT
- ACCESS: 112-112
- DEAD END CORRIDORS: NO
- CORRIDOR WIDTHS: 8'
- DOOR WIDTHS: 3'
- DOOR SWING: 3'



LIFE SAFETY PLAN

	A	B	C	D	E	F	G	H	I	J	K	L	M	
1	Building Construction and Occupancy													
2	Construction Type		Sprinklers?		Occupancy Type									
3	TYPE 2		YES		R-2									
4	Exit Requirements: Number and Arrangement of Exits													
5	Space Designation	# of Exits			Travel Distance			Arrangement: Means of Egress						
6		Required	Shown on Plans		Allowable Distance		Actual Distance Shown on Plans		Req'd Distance Between Exits		Actual Distance Shown on Plans			
7	SUITE 201	2	2		250'		103'		525.6		1342			
8	Notes:													
9														
10														
11	Use Group or Space Designation	(A)	(B)					©		Exit Width (Inches)				
12		Area = Sq. Ft.	Area per Occupant		Calculated Occupant Load =			Egress per Occupant		Required Width =		Actual Width		
13					A/B			Stair	Level	(A/B)xC		Stair	Level	
14	SUITE 201	1,906	200		10			.3"	.2"	3		2	70"	96"
15														
16														
17	Notes:													
18														