


**IDSN 3102**


**P O R T F O L I O 3**

**By: Cory Krajewski**

# Assignment 13: Revit Furniture Plan




# Assignment 14: Revit RCP




# Assignment 15: Revit E-W and N-S Sections


## E-W Section



N-S Section



**Assignment 16: Revit Life Safety Plan**



FIRE EXTINGUISHER

MAX TRAVEL DISTANCE

MINIMUM SEPERATION OF EXITS

FIRE EXTINGUISHER

DIAGONAL OF SPACE 79'-0"

LIFE SAFTY PLAN TABLE

Building Construction and Occupancy									
Construction Type	Sprinklers?	Occupancy Type							
RESIDENTIAL	YES	M & A							
Exit Requirements: Number and Arrangement of Exits									
Space Designation	# of Exits		Travel Distance		Arrangement: Means of Egress				
	Required	Shown on Plans	Allowable Distance	Actual Distance Shown on Plans	Req'd Distance Between Exits		Actual Distance Shown on Plans		
Suite 201-205 E 5th ST	2	3	75'0"	74'-0"	26'-6"		66'-1"		
Notes:									
Use Group or Space Designation	(A)	(B)		©		Exit Width (Inches)			
	Area = Sq. Ft.	Area per Occupant	Calculated Occupant Load = A/B	Egress per Occupant		Required Width = (A/B)xC		Actual Width	
				Stair	Level	Stair	Level	Stair	Level
Suite 201-205 E 5th St	2,902 & 600	60 & 5	18	.3"	.2"	5.4"	3.6"	52"	72"
Notes:									