


IDSN 3102 Portfolio III


Jaden McGathen

Furniture Plan



① Floor
1/8" = 1'-0"

Reflective Ceiling Plan




① Floor
1/8" = 1'-0"

North to South Section




① Section 8
1/4" = 1'-0"

East to West Section



① Section 7
1/4" = 1'-0"

Life Safety Plan



① Floor
1/8" = 1'-0"

Life Safety Plan Table

Building Construction and Occupancy

Construction Type	Sprinklers?	Occupancy Type				
TYPE IV	YES	M & A				

Exit Requirements: Number and Arrangement of Exits

Space Designation	# of Exits		Travel Distance		Arrangement: Means of Egress	
	Required	Shown on Plans	Allowable Distance	Actual Distance Shown on Plans	Req'd Distance Between Exits	Actual Distance Shown on Plans
201 - 205 E FIFTH ST.	2	3	75'-0"	72'-1"	26'-6"	64'-9"

Notes:

Use Group or Space Designation	(A)	(B)	Calculated Occupant Load = A/B	©		Exit Width (Inches)			
	Area = Sq. Ft.	Area per Occupant		Egress per Occupant		Required Width = (A/B)xC		Actual Width	
				Stair	Level	Stair	Level	Stair	Level
201 - 205 E FIFTH ST.	2902 & 600	48 & 120 (168 TOTAL)	18	.3"	.2"	5.4"	3.6"	48"	67"